



|                     |              |
|---------------------|--------------|
| Uniclass<br>L725111 | EPIC<br>G611 |
| CI/SFB<br>(74.26)   | X            |

**DATA**

Pre Plumbed Bathroom Module C/W Thermostatic & Pressure  
Balanced Mixing Valve & Riser kit  
Maximum Temperature 90°  
Minimum Pressure 0.2 Bar  
Maximum Pressure 12 Bar  
Pressure Differential 10 Bar  
Normal Control Temperature 38°  
Output Temp Differential +/- 1°c  
Max Output 8 l/pm @ 6 Bar  
Toilet Flush Dual 2-6 litres Adjustable

**MATERIALS**

Module Powder Coated Aluminium Panels  
Frame Extruded Aluminium  
Supply Pipe-work Mineral Re Enforced PP 15mm Push Fit  
Soil Pipe Mineral Re Enforced PP Sound Insulating  
Toilet Bowl Vitreous Enamel  
Valves & Fittings BZR Brass  
Mixer Body BZR Brass With Chrome Finish  
Handles ABS Plastic  
Connections G1/2

**FEATURES**

Thermostatic & Pressure Balanced Cartridges Constant Temp  
Regardless of Pressure Variations. Anti Scald Cut Off 0.02 Seconds  
Optional Water Saving Showerheads  
Pre plumbed Hot/Cold Supply & Soil Pipe-work for Bath, Shower,  
Toilet and Basin C/W NRV & Isolating Valves  
Low Noise Soil Pipe  
Insulated Pipework  
Integral Firewall  
Air Operated Dual Flush WTL Approved Wall Mounted WC & Cistern  
Removable Access Panels All Round  
Adjustable Ceiling Height Panels  
Optional Disabled Grab Rails  
Quick & Easy to Fit & Maintain Saving up to 70%

**SPEC CODES**

|  |           |           |
|--|-----------|-----------|
| Module c/w Exposed Shower Mixer            | 500       | 9210-7500 |
| Module c/w Exposed Shower/Bath Mixer       | 500       | 9490-1530 |
| Module c/w Concealed Mixer                 | 500       | 9230-0000 |
| Module c/w TMV 3 Bath, Shower, Basin Mixer | 500       | 5193-5006 |
| Module c/w Anti Vandal Panel               | 500       | 714700    |
| Concealed Riser Kit                        | 712010    |           |
| Exposed Riser Kit                          | 9310-0050 |           |
| Wall Fixing Bracket                        | 9205-2050 |           |

**APPROVALS**

WRAS D08 TMV3 TMV 2 ISO9001 ISO 14002  
DIN 4109 Acoustic DIN 4102 Fire Protection  
Water Technology List Approved NATO Codification

**APPLICATION**

Ideally suited to new builds or refurbishments. Multi user and multi floor applications. Hospital, hotels, accommodation blocks, halls of residence, barracks, gymnasiums and residential  
All units can be bespoke designed to suit clients individual applications and specification Units can incorporate any individual or combination of FM Mattsson units details of which are available on our web site [www.alchallis.com](http://www.alchallis.com)

**500 Pre Plumbed Integrated Plumbing System (IPS) Bathroom Module**



 **0870 7657987**

 **[www.alchallis.com](http://www.alchallis.com)**

 **[info@alchallis.com](mailto:info@alchallis.com)**





