

Productinformation

FMM: 9050-0050, RSK: 823 52 22


Single lever basin mixer
spout outlet basin mixer, Cascade A

Applies also for 9054, 9055

Bernt Westerhagen, 1999-02-12 13:22

405A

Pressure drop graph only CW



Table

	<i>CWp</i>	<i>CWF</i>	<i>CWF</i>	<i>Noise</i>
	[kPa]	[l/s]	[l/m]	[LAP]
50 kPa	53.8	0.0733	4.40	
100 kPa	103	0.103	6.18	<10
200 kPa	202	0.145	8.69	
300 kPa	301	0.178	10.7	20
400 kPa	400	0.206	12.3	
500 kPa	499	0.229	13.7	27
600 kPa	599	0.252	15.1	
Norm.fl	102	0.0999	5.99	
Open/C1	302	0.173	10.4	20



Productinformation

FMM: 9050-0050, RSK: 823 52 22


Single lever basin mixer
spout outlet basin mixer, Cascade B

Applies also for 9054, 9055

Bernt Westerhagen, 1999-02-12 13:40

70E0

Pressure drop graph only CW



Table

	<i>CWp</i>	<i>CWF</i>	<i>CWF</i>	<i>Noise</i>
	[kPa]	[l/s]	[l/m]	[LAP]
50 kPa	53.8	0.0877	5.26	
100 kPa	103	0.124	7.44	<10
200 kPa	202	0.173	10.4	
300 kPa	301	0.213	12.8	16
400 kPa	400	0.248	14.9	
500 kPa	500	0.280	16.8	21
600 kPa	598	0.306	18.4	
Norm.fl	69.9	0.100	6.01	
Open/C1	300	0.203	12.2	18



Contacts

FM Mattsson AB
Box 427,
S-792 27 MORA, SWEDEN
Tel 0046 250-278 00.
Fax 0046 250-159 60.

FM Mattsson Norge A/S
Postboks 6161, (Grensevn. 86/88),
Etterstad, 0602 OSLO.
Tel 0047 22 80 12 40.
Fax 0047 22 80 12 60.

FM Mattsson Danmark
Kirkebjerg Allé 84, (Park Allé 287M),
2605 BRØNDBY.
Tel 0045 43 43 13 43.
Fax 0045 43 43 13 46.

FM Mattsson Australia Pty Ltd
Unit 2/46 Armada Place, P O Box 33,
Banyo Qld 4014.
Phone 0061 732 609 333
Fax 0061 732 671 362

www.fmmattsson.com E-mail: info@fmmattsson.com

FM Mattsson